

**NORBERT W. BRATTIG | Hamburg**

**JOHN B. DAVIES | Kent, UK**

**RENKE LÜHKEN | Hamburg**

**ANDREAS KRÜGER | Koblenz**

## Obituary Professor Rolf Girms 1931–2021



*Professor Rolf Girms, 6 October 2011*

Photograph: R. A. Cheke

Rolf Girms, who died on 5 October 2021 aged 89, was an outstanding and distinguished medical entomologist who began and ended his career at the Bernhard Nocht Institute for Tropical Medicine (BNITM) in Hamburg. Dr. Girms was foremost amongst experts on blackfly biology and on the transmission and control of onchocerciasis.

Rolf Girms began studying zoology at the University of Hamburg in 1950 and was awarded a PhD in 1958. He was employed at the BNITM in 1962 working there until 1996 when he retired, but he continued working as an Emeritus Professor until his final illness. In 1958 he was appointed Director of the Liberian Research Unit of the BNITM, based

**Author Addresses**

**NORBERT W. BRATTIG** (corresponding author), **RENKE LÜHKEN**, Bernhard Nocht Institute for Tropical Medicine, Hamburg, Germany, nbrattig@bnitm.de

**ROBERT A. CHEKE**, Natural Resources Institute, University of Greenwich at Medway, Chatham Maritime, Kent, UK

**JOHN B. DAVIES**, Liverpool School of Tropical Medicine, Pembroke Place, Liverpool, UK

**ANDREAS KRÜGER**, Bundeswehr Hospital Koblenz, Germany

at Bong Mine in Liberia. Rolf Garms achieved his habilitation (an academic procedure common in Germany as a prerequisite to becoming a full Professor) in 1984 and the *venia legendi* (an authority to teach, given a successful habilitation) in 1988. In 1992 Dr. Garms was appointed as full professor at the University of Hamburg.

After initiating his career with research on mosquitoes, Rolf began his lifelong fascination with blackflies during extensive and arduous field work in Guinea where he discovered new species, documented the distribution of *Simulium damnosum* s.l. and conducted trials of DDT and fenthion on the latter. He pursued similar research in Liberia and this West African experience led to his subsequent contributions to the World Health Organization's Onchocerciasis Control Programme in West Africa (OCP). He was involved from the outset, being one of the scientists who attended the first planning meeting in Tunis in 1968 (WHO 1969), which led to the Preparatory Assistance to Governments Mission whose report in November 1973 (WHO 1973) was followed by the foundation of the OCP in January 1974. Dr. Garms was a member of the Scientific and Technical Advisory Committee of the (OCP) and he was soon involved as a consultant, especially when the programme could not explain the continued presence of biting flies in controlled zones. Suspecting reinvasions from untreated areas, Rolf masterminded pioneering studies with John Davies and Frank Walsh that demonstrated that savannah members of the *Simulium damnosum* species complex could migrate as far as 500 km. For this work they were awarded the Düsseldorfer Hygienepreis Silver Medal in 1980. The first reinvasion studies were conducted in the west of the OCP but, together with Robert Cheke and many other collaborators, Rolf conducted similar studies in the eastern region of the OCP and showed that, in addition to the savannah species, *Simulium squamosum* was also involved in displacements of 150 km or more.

In addition to his reinvasion work, Dr. Garms contributed a great deal of knowledge about the biology and the transmission efficacy of different blackfly taxa, often working in laboratory and field with his assistant the late Magdalene Kerner. Rolf published 147 articles between 1958 and 2021, i.e. spanning more than 60 years (full list below), including analyses of the morphology of *Simulium* species, their cyt taxonomy, phylogeny, ecology, geographic distribution, seasonal variation, transmission abilities, histochemical differentiation, non-*Onchocerca volvulus* and other filarial larvae, anthropophily and zoophily, mostly in West Africa, but also in Guatemala, Uganda and Yemen. However, apart from his reinvasion studies, Rolf's tireless and dedicated work in Uganda, where he was a member of the Uganda Onchocerciasis Elimination Expert Advisory Committee from its inception in 2007, led to another major achievement: the interruption of the transmission of *Onchocerca* by larvicides in many foci, involving controlling both *S. neavei* group members and *S. damnosum* s.l.

During his career Dr. Garms consistently inspired generations of participants on the BNITM courses on tropical infectious diseases with his engaging lectures on parasites and vectors and guided a multitude of doctoral dissertations. Dr. Garms served as a rapporteur for the Third Report of the WHO Expert Committee on Onchocerciasis (WHO 1987) and



Professor Rolf Gärms in his office at the Bernhard Nocht Institute for Tropical Medicine, Hamburg, Germany, 7 October 2015 (photograph: R. A. Cheke).

on the Advisory Committee of the Special Programme for Research and Training in Tropical Diseases (WHO/TDR) and was awarded an honorary membership of the German Society of Parasitology in 2016. He was a Fellow of the Royal Society of Tropical Medicine and Hygiene and from 1973 to 1995 he was one of the editors of the journal *Tropical Medicine and Parasitology* (now *Tropical Medicine & International Health*).

A great deal of Rolf Gärms' research interest was dedicated to the taxonomy of Afro-tropical blackflies. He contributed to the description of eight new species. Chronologically these were: *Simulium futaense* (Gärms & Post 1966), *S. geigyi* and *S. weyeri* (Gärms & Häusermann 1968), *S. liberense* (Gärms 1973), *S. audreyae* (Gärms & Disney 1974), *S. yemenense* (Crosskey & Gärms 1982), *S. rasyani* (Gärms, Kerner & Meredith 1988) and *S. pandanophilum* (Krüger, Nurmi & Gärms 1998). In addition, he was involved in descriptions of the following new cyto- and morphoforms: the 'Tanzania' form of *S. mcmahoni* (Gärms & Disney, 1974), 'type III' and 'type IV' forms of *S. sirbanum* (Cheke, Gärms, Walsh & Phillips 1987, confirmed cytotononomically by Fiasorgbor & Cheke 1992) and three forms of *S. soubrense*: 'Beffa' (Meredith, Cheke & Gärms, 1983), 'Farmington' and 'St Paul' (Güzelhan & Gärms, 1987). A new freshwater crab, *Potamonautes rukwanzi* Corace, Cumberlidge & Gärms 2001 was also discovered during his field work in Uganda. Furthermore, he is remembered in the eponymous *Simulium garmsi* Crosskey, 1969, *Onchocerca garmsi* Schulz-Key & Bain, 1976 (a parasite of red deer *Cervus elaphus*), two muscid flies *Pyrellina garmsi* Zielke, 1971 and *Helina garmsi* Zielke, 1974 and the saturniid moth *Orthogonioptilum garmsi* Bouyer, 1995. Also, a pygmy grasshopper (Orthoptera: Tetrigidae) that he collected in Liberia will soon be named after him, reflecting some of his other entomological interests which also encompassed tiger beetles (Coleoptera: Cicindelidae).

During his last 10 years Dr. Garms was involved in research on native European and invasive mosquitoes of metropolitan Hamburg, including studies of host-feeding patterns and the presence of viruses in mosquitoes. Research on native mosquitoes had almost ceased after the disappearance of malaria in Europe. Thus, Rolf concluded his research work on topics with which he had started his scientific career at BNITM in the 1960s and he continued to support graduate students during sampling campaigns and drafting manuscripts.

The demise of Dr. Garms will certainly leave a huge vacuum in the field of transmission and control of onchocerciasis and characterization of the *Simulium* vector. His legacy of hard work and a lifetime's dedication to his subject will continue to inspire us all, as we remember a humble and charming man, possessed of an enviable intelligence and scientific acumen.

In 1958 Rolf Garms married Elke Biel who survives him, along with their son Gunnar and their daughters Grietje and Janna.

Dr J. Frank Walsh is thanked for his comments on an earlier draft.

## References

- Fiasorgbor, G. K. & Cheke, R. A. (1992): Cytotaxonomic confirmation of two forms of *Simulium sirbanum* in the eastern part of the Onchocerciasis Control Programme in West Africa. *Medical and Veterinary Entomology* 6: 139–142.
- World Health Organization (1969): Joint USAID/OCCGE/WHO technical meeting on the feasibility of onchocerciasis control. Tunis, 1–8 July 1968. WHO/ONCHO/69.75. Unpublished mimeographed document.
- World Health Organization, United Nations Development Programme, Food and Agriculture Organization of the United Nations & International Bank for Reconstruction and Development. (1973). Onchocerciasis control in the Volta river basin area: report of the mission for preparatory assistance to the governments of Dahomey, Ghana, Ivory Coast, Mali, Niger, Togo and Upper Volta. World Health Organization. WHO/OCP/73.1. <https://apps.who.int/iris/handle/10665/277239>.
- WHO Expert Committee on Onchocerciasis & World Health Organization (1987). WHO Expert Committee on Onchocerciasis [meeting held in Geneva from 21 to 29 April 1986]: third report. World Health Organ Tech Rep Ser. 752: 1–167. <https://apps.who.int/iris/handle/10665/38959>.

## Publications of R. Garms

(in chronological order)

- Garms, R. (1957) *Hydrobiologische Untersuchungen in Flußmarschen des Elbaestuars: Das biozönot. Gefüge d. Kulturräben im Innen- u. Außenbereich* (Doctoral dissertation).
- Rehm, W. F., Garms, R. & Weyer, F. (1958) Delayed effect of dieldrin on *Anopheles* larvae. *Zeitschrift für Tropenmedizin und Parasitologie* 9: 200–204.
- Rehm, W. F. & Garms, R. (1959) Zur Nachwirkung von Dieldrin bei *Anopheles*-Larven. *Anzeiger für Schädlingskunde* 32:16.
- Rehm, W. F. & Garms, R. (1959) The effect of Alodan on mosquitoes. *Zeitschrift für Tropenmedizin und Parasitologie* 10: 154–159.
- Garms, R. (1959) Die Empfindlichkeit von *Anopheles atroparvus* und *A. stephensi* (Larven und Imagines) gegenüber DDT in Abhängigkeit von Alter, Ernährung und Populationsdichte. [The effects of age, nutrition and population density on the susceptibility of larvae and adults of *A. labranchiae atroparvus* and *A. stephensi* to DDT]. *Zeitschrift für Tropenmedizin und Parasitologie* 10: 426–441.
- Garms, R., Weyer, F. & Rehm, W. F. (1959) Seasonal variations in susceptibility to DDT in field populations of *A. labranchiae atroparvus* and *A. maculipennis messeae* in northern Germany. *Zeitschrift für Tropenmedizin und Parasitologie* 10: 48–55.

- Garms, R. (1960) Resistance to insecticides in anophelines. Zeitschrift für Tropenmedizin und Parasitologie 11: 353–388.
- Garms, R. (1961) Beobachtungen zum Wirkungsverlauf von Dieldrin bei *Anopheles*'larven (*A. stephensi* und *A. atroparvus*). [Observations on the course of action of dieldrin on *Anopheles* larvae (*A. stephensi* and *A. atroparvus*)]. Zeitschrift für Tropenmedizin und Parasitologie 12: 262–273.
- Garms, R. & Kuhlow, F. (1961) Seasonal variations in tolerance to DDT and dieldrin in *Anopheles labranchiae atroparvus* van Thiel, in East Friesland. Rivista di Malariaologia 40: 257–265.
- Garms, R. & Rehm, W. F. (1961). Tests on raising the DDT-tolerance of *A. labranchiae atroparvus* by selection. Zeitschrift für Angewandte Zoologie 48: 385–403.
- Garms, R. (1961) Biozönotische Untersuchungen an Entwässerungsgräben in Flussmarschen des Elbe-Ästuars. Archiv für Hydrobiologie/Suppl, 26: 344–462.
- Garms, R. (1962) Das Resistenzproblem bei Stechmücken. Zeitschrift für Parasitenkunde 22: 97.
- Kuhlow, F. & Garms, R. (1962) Untersuchungen über das Verhalten von *Anopheles l. atroparvus* van Thiel und *Culex pipiens* L. in ungespritzten und mit DDT gespritzten Versuchshütten in Norddeutschland. [Studies on the behaviour of *A. l. atroparvus* and *C. pipiens* in unsprayed and DDT-sprayed experimental huts in northern Germany.] Zeitschrift für Tropenmedizin und Parasitologie 13: 428–442.
- Kuhlow, F. & Garms, R. (1964) Über die Empfindlichkeit von *Culex pipiens pipiens* L. in Norddeutschland gegenüber DDT und Dieldrin. Anzeiger für Schädlingskunde 37: 19–22.
- Kuhlow, F. & Garms, R. (1965) On the effect of mating and nutrition on the reproduction of *Culex pipiens fatigans* Wiedemann. Cah. O.R.S.T.O.M., sér Ent méd et Parasitol. 3: 91–96.
- Garms, R. & Post, A. (1966) Beschreibung von *Simulium futaense* sp. n. (Simuliidae, Diptera) aus Guinea/Westafrika. [Description of *Simulium futaense* n. sp. (Simuliidae, Diptera) from Guinea, West Africa]. Zeitschrift für Tropenmedizin und Parasitologie 17: 40–44.
- Post, A. & Garms, R. (1966). The susceptibility of tropical fresh-water fish to DDT and fenthion. A study of the problem in relation to the control of *Simulium damnosum*. Zeitschrift für Angewandte Zoologie 53: 481–94.
- Garms, R. & Post, A. (1966) [The distribution of *Simulium damnosum* in Guinea-West Africa]. Zeitschrift für Tropenmedizin und Parasitologie 17: 443–466.
- Garms, R. & Post, A. (1967) Die Simulien der Republik Guinea, Westafrika. Internationale Revue der gesamten Hydrobiologie und Hydrographie 52: 1–36.
- Garms, R. & Post, A. (1967) Frielandversuche zur Wirksamkeit von DDT und Baytex gegen Larven von *Simulium damnosum* in Guinea, Westafrika. [Field tests on the effectiveness of DDT and fenthion against larvae of *S. damnosum* in Guinea, West Africa]. Anzeiger für Schädlingskunde 40: 49–56.
- Garms R. & Kuhlow F. (1967) [Sensitivity of *Simulium* larvae from north Germany towards DDT and Baytex]. Zeitschrift für Tropenmedizin und Parasitologie 18: 119–24.
- Garms, R. & Post, A. (1968) Verbreitung und jahreszeitliche Wanderungen von *Simulium damnosum* in Guinea/Westafrika und Möglichkeiten der Bekämpfung. [Distribution and seasonal wandering of *Simulium damnosum* in Guinea-WestAfrica and possibilities of control.] Zeitschrift für Parasitenkunde 31: 18.
- Garms, R. & Häusermann, W. (1968) Untersuchungen an Arten der *Simulium alcocki*-Gruppe aus Tansania, Ostafrika, und Beschreibung von zwei neuen Spezies. [Investigations on the members of the *Simulium alcocki* group in Tanzania and descriptions of two new species.] Revue de Zoologie et de Botanique Africaines 78: 64–80.
- Garms, R. & Weyer, F. (1968) Natürliche Infektion von *Simulium damnosum* mit *Onchocerca volvulus* in Savannengebieten Guineas. Zeitschrift für Tropenmedizin und Parasitologie 19: 289–296.
- Garms, R. & Voelker, J. (1969) Unknown filarial larvae and zoophilic in *Simulium damnosum* in Liberia. Transactions of the Royal Society of Tropical Medicine and Hygiene 63: 676–677.
- Voelker, J. & Garms, R. (1972) Zur Morphologie unbekannter Filarienlarven aus dem Onchocercose-Überträger *Simulium damnosum* und aus *S. kenyae* und zur Frage der möglichen Endwirte [Morphological studies of unknown filarial larvae from *Simulium damnosum*, the vector of onchocerciasis, and from *S. kenyae* in Liberia, with reference to their possible final hosts]. Zeitschrift für Tropenmedizin und Parasitologie 23: 285–301.
- Garms, R. (1972) Vorkommen phoretischer Simulien in Liberia. [Phoretic blackflies in Liberia] Zeitschrift für Tropenmedizin und Parasitologie 23: 302–307.
- Garms, R. (1972) Epidemiologie der Onchocercose in Liberia. Zeitschrift für Parasitenkunde 39:70.
- Zielke, E. & Garms, R. (1972) Beitrag zur Kenntnis der Verbreitung von Tabaniden in Liberia (Tabanidae; Diptera). Zeitschrift für angewandte Zoologie 59: 332–338.
- Garms, R. (1973) Zur Verbreitung von *Simulium damnosum* in Liberia. [On the distribution of *Simulium damnosum* in Liberia]. Zeitschrift für Tropenmedizin und Parasitologie 24: 222–231.
- Garms, R. (1973) Quantitative studies on the transmission of *Onchocerca volvulus* by *Simulium damnosum* in the Bong Range, Liberia. Zeitschrift für Tropenmedizin und Parasitologie 24: 358–372.
- Garms, R. (1973) Eine neue *Simulium*-Art aus Liberia. [A new *Simulium* species from Liberia]. Revue de Zoologie et de Botanique Africaines 87: 758–763.
- Garms, R. (1974) Über die Verbreitung und Ökologie der Kriebelmücken (Simuliidae) in Liberia. Zeitschrift für Angewandte Zoologie 61: 63–90.
- Garms, R. & Disney, R. H. L. (1974) Eine neue *Simulium*-Art aus Kamerun (*S. audreyae* n. sp., Simuliidae, Diptera). [A new *Simulium* species from Cameroun (*S. audreyae* n. sp., Simuliidae, Diptera)]. Zeitschrift für Tropenmedizin und Parasitologie 25: 128–33.

- Garms, H. & Garms, R. (1975). Die Natur: biologisches Unterrichtswerk. Westermann.
- Garms, R. (1975) Observations on filarial infections and parous rates of anthropophilic blackflies in Guatemala, with reference to the transmission of *Onchocerca volvulus*. *Tropenmedizin und Parasitologie* 26: 169–182.
- Omar, M. S. & Garms, R. (1975) The fate and migration of microfilariae of a Guatemalan strain of *Onchocerca volvulus* in *Simulium ochraceum* and *S. metallicum*, and the role of the buccopharyngeal armature in the destruction of microfilariae. *Tropenmedizin und Parasitologie* 26: 183–190.
- Garms, R. & Vajime, C. G. (1975) On the ecology and distribution of the species of the *Simulium damnosum* complex in different bioclimatic zones of Liberia and Guinea. *Tropenmedizin und Parasitologie* 26: 375–380.
- Garms, R. (1976) Transmission of onchocerciasis. *Tropenmedizin und Parasitologie* 27: 16–18.
- Sommer, A. & Garms, R. (1976) Epidemiologische Untersuchungen zur Onchozerkose in Guatemala. *Tropenmedizin und Parasitologie* 27: 26–27.
- Voelker, J. & Garms, R. (1977) Morphological studies of unknown filarial larvae. *Animal Research and Development* 5: 105–123.
- Omar, M. S. & Garms, R. (1977) Lethal damage to *Simulium metallicum* following high intakes of *Onchocerca volvulus* microfilariae in Guatemala. *Tropenmedizin und Parasitologie* 28: 109–119.
- Le Berre, R., Walsh, J. F., Davies, J. B., Philippon, B. & Garms, R. (1978) Control of onchocerciasis: medical entomology, a necessary prerequisite to socio-economic development. *Trans.R.Soc.Trop.Med & Hyg. Proceedings of the Medical Entomology Centenary Symposium* 23–25 Nov. 1977, S. Willmott (ed.) pp. 70–75. Royal Society of Tropical Medicine & Hygiene, London.
- Walsh, J. F., Davies, J. B., Le Berre, R. & Garms, R. (1978) Standardization of criteria for assessing the effect of *Simulium* control in onchocerciasis control programmes. *Trans.R.Soc.Trop.Med & Hyg.* 72: 675–676.
- Garms, R. (1978) Use of morphological characters in the study of *Simulium damnosum* s.l. populations in West Africa. *Tropenmedizin und Parasitologie* 29: 483–491.
- Garms R. & Ochoa, J. O. (1979) Further studies on the relative importance of Guatemalan blackfly species as vectors of *Onchocerca volvulus*. *Tropenmedizin und Parasitologie* 30: 120–128.
- Garms, R., Walsh, J. F. & Davies, J. B. (1979). Studies on the reinvasion of the Onchocerciasis Control Programme in the Volta River Basin by *Simulium damnosum* s.l. with emphasis on the south-western areas. *Tropenmedizin und Parasitologie* 30: 345–362.
- Le Berre, R., Garms, R., Davies, J. B., Walsh, J. F., Philippon, B. & Rainey, R. C. (1979). Displacements of *Simulium damnosum* and strategy of control against onchocerciasis. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences* 287: 277–288. doi: 10.1098/rstb.1979.0061.
- Walsh, J. F., Davies, J. B. & Le Berre, R. (1979) Entomological aspects of the first five years of the Onchocerciasis Control Programme in the Volta River Basin. *Tropenmedizin und Parasitologie* 30: 328–344.
- Walsh, J. F. & Garms, R. (1980) The detection of plant sugars in *Simulium damnosum* s.l. by means of the cold Anthrone test. *Trans.R.Soc.Trop.Med & Hyg.* 74: 811–813. doi: 10.1016/0035-9203(80)90211-4.
- Garms, R. (1981) The reinvasion of the onchocerciasis control programme area in the Volta River Basin by *Simulium damnosum* s.l., the involvement of the different cytospecies and epidemiological implications. *Ann Soc Belg Med Trop* 61: 193–198.
- Omar, M. S. & Garms, R. (1981) Histochemical differentiation of filarial larvae found in *Simulium damnosum* s.l. in West Africa. *Tropenmedizin und Parasitologie* 32: 259–264.
- Walsh, J. F., Davies, J. B. & Garms R. (1981) Further studies on the reinvasion of the Onchocerciasis Control Programme by *Simulium damnosum* s.l.: the effects of an extension of control activities into southern Ivory Coast. *Tropenmedizin und Parasitologie* 32: 269–273.
- Crosskey, R. W. & Garms, R. (1982). *Simulium yemenense* n. sp. In Crosskey, R. W. and Büttiker, W. 1982. Insects of Saudi Arabia. Diptera: Fam. Simuliidae. Fauna of Saudi Arabia 4: 398–446. Ceiba-Geigy Limited, Basle, Switzerland.
- Cheke, R. A., Garms, R. & Kerner, M. (1982) The fecundity of *Simulium damnosum* s.l. in northern Togo and infections with *Onchocerca* spp. *Annals of Tropical Medicine & Parasitology* 76: 561–568. doi: 10.1080/00034983.1982.11687581.
- Garms, R., Cheke, R. A., Vajime, C. G. & Sowah, S. (1982) The occurrence and movements of different members of the *Simulium damnosum* complex in Togo and Benin. *Zeitschrift für Angewandte Zoologie* 69: 219–236.
- Garms, R. & Kerner, M. (1982) Anthropophily of *Simulium damnosum* s.l. and its role as a vector of human onchocerciasis in the Yemen Arab Republic. *Tropenmedizin und Parasitologie* 33: 175–180.
- Cheke, R. A. & Garms, R. (1983) Reinfestations of the southeastern flank of the Onchocerciasis Control Programme area by windborne vectors. Abstract. p. 3 In Royal Society, *Aerial Transmission of Disease*. A meeting for discussion, London, 1–2 February 1983. Organized by J. B. Brooksby F. R. S., London, Royal Society.
- Cheke, R. A. & Garms, R. (1983) Reinfestations of the southeastern flank of the Onchocerciasis Control Programme area by windborne vectors. *Phil.Trans.R.Soc.Lond.B* 302: 471–484.
- <https://doi.org/10.1098/rstb.1983.0069>. Reprinted as pages 33–46 in J. B. Brooksby (Ed.) *The Aerial Transmission of Disease*, London, The Royal Society (1983).
- Simmons, K. R., Raybould, J. N., Meredith, S. E. O., & Garms, R. (1983). Identification of a laboratory mating form of the *Simulium damnosum* Theobald complex in West Africa. *Annals of Tropical Medicine & Parasitology* 77: 523–526. doi: 10.1080/00034983.1983.11811745.
- Garms, R. (1983) Studies on the transmission of *Onchocerca volvulus* species of the *Simulium damnosum* complex occurring in Liberia. *Zeitschrift für Angewandte Zoologie* 70: 101–117.

- Meredith, S. E. O., Cheke, R. A. & Garms, R. (1983) Variation and distribution of forms of *Simulium soubrense* and *S. sanctipauli* in West Africa. *Ann.trop.Med.Parasit.* 77: 627–640. doi: 10.1080/00034983.1983.11811762.
- Garms, R. & Zillmann, U. (1984) Verification of morphological characters for the separation of *Simulium sanctipauli* and *S. yahense* by enzyme electrophoresis. Abstract vol.page 667, Proc. XVIIth. Int. Congr. Entomol., Hamburg.
- Garms, R. & Cheke, R. A. (1984) The relative importance of different members of the *Simulium damnosum* species complex as vectors of onchocerciasis in Togo and Benin. Abstract vol.page 668, Proc. XVIIth. Int. Congr. Entomol., Hamburg.
- Garms, R. & Zillmann, U. (1984) Morphological identification of *Simulium sanctipauli* and *S. yahense* in Liberia and comparison of results with those of enzyme electrophoresis. *Tropenmedizin und Parasitologie* 35: 217–220.
- Cheke, R. A. & Garms, R. (1985) Sexual mosaics in the *Simulium damnosum* species complex (Dipt., Simuliidae) in West Africa. *The Entomologist's monthly magazine* 121: 137–141.
- Garms, R. & Cheke, R. A. (1985) Infections with *Onchocerca volvulus* in different members of the *Simulium damnosum* complex in Togo and Benin. *Zeitschrift für Angewandte Zoologie* 72: 479–495.
- Philips, A., Walsh, J. F., Garms, R., Molyneux, D. H., Milligan, P. & Ibrahim, G. (1985) Identification of adults of the *Simulium damnosum* complex using hydrocarbon analysis. *Tropical Medicine and Parasitology* 36: 97–101.
- Garms, R. (1985) Morphological differentiation from *Onchocerca volvulus* of first stage larvae of an unknown filarial species commonly found in *Simulium sanctipauli* sl in Liberia. *Tropical Medicine and Parasitology* 36: 255–256.
- Ham, P. J. & Garms, R. (1985) Development of forest *Onchocerca volvulus* in *Simulium yahense* and *Simulium sanctipauli* following intrathoracic injection and ingestion of microfilariae. *Tropenmedizin und Parasitologie* 36: S25–S25.
- Garms, R. (1986) The vectorial status of *S. sanctipauli* s.l. and *S. yahense* in Liberia. Abstract. Abstract. 8<sup>th</sup>. Meeting (15 November 1985) of the British Simuliid Group. Newsletter of the British Simuliid Group 12: 3.
- Ham, P. J. & Garms, R. (1986) Experimental infections of *Simulium damnosum* cytospecies with human and bovine *Onchocerca* species. *Tropical Medicine and Parasitology* 37: 79.
- Cheke, R. A. & Garms, R. (1986) Fecundities of different members of the *Simulium damnosum* species complex in Togo. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 80: 489–490.
- Garms, R. (1987) Occurrence of the savanna species of the *Simulium damnosum* complex in Liberia. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 81: 518–518.
- Cheke, R. A., Garms, R., Ouedraogo, J., Some, A. & Sowah, S. (1987) The Beffa form of *Simulium soubrense* of the *S. damnosum* complex in Togo and Benin. *Medical and Veterinary Entomology* 1: 29–35.
- Garms, R., Mehlitz, D. & Zillmann, U. (1987) Geographical distribution of *Glossina palpalis gambiensis* and *Gp palpalis* in Liberia. *Medical and Veterinary Entomology* 1: 343–347. doi: 10.1111/j.1365-2915.1987.tb00365.x.
- Garms, R. (1987) Infection rates and parasitic loads of *Onchocerca volvulus*, and other filariae, in *S. sanctipauli* s.l. and *S. yahense* in a rain-forest area of Liberia. *Tropical Medicine and Parasitology* 38: 201–204.
- Philips, A., Broomfield, G., Crosskey, R. W., Shelley, A. & Garms, R. (1987) Recent applications of cuticular hydrocarbon analysis. Abstract. Abstract. 9<sup>th</sup>. Annual Meeting (26 September 1986) of the British Simuliid Group. Newsletter of the British Simuliid Group 13: 7–8.
- Guzelhan, C. & Garms, R. (1987) Cytotaxonomy of the Farmington form of *Simulium soubrense* in Liberia. *Tropical Medicine and Parasitology* 38: 345.
- Cheke, R. A. & Garms, R. (1987) Trials of attractants to enhance biconical trap catches of *Simulium yahense* and *S. sanctipauli* s.l. *Tropical Medicine and Parasitology* 38: 62–63.
- Cheke, R. A., Garms, R., Walsh, J. F. & Phillips, A. (1987) Differences in the male scutal patterns of putative *Simulium sirbanum*. *Transactions of the Royal Society of Tropical Medicine & Hygiene* 81: 672–673.
- Cheke, R. A., Garms, R., Howe, M. A. & Lehane, M. J. (1987) Possible use of pteridine concentrations for determining the age of adult *Simulium damnosum* s.l. *Tropical Medicine and Parasitology* 38: 346.
- Kashan, A. & Garms, R. (1987) Cytotaxonomy of the *Simulium sanctipauli* sub-complex in Liberia. *Tropical Medicine and Parasitology* 38: 289–293.
- Garms, R. & Walsh, J. F. (1987) The migration and dispersal of black flies: *Simulium damnosum* s.l., the main vector of human onchocerciasis. Pp. 201–214 in Kim, K. C. & Merritt, R. W. (eds.) *Black flies: ecology, population management, and annotated world list*. Pennsylvania State university, University Park (528 pages). [Actually published 1 March 1988].
- Ham, P. J. & Garms, R. (1987) Failure of *Onchocerca gutturosa* to develop in *Simulium soubrense* and *Simulium yahense* from Liberia. *Tropical Medicine and Parasitology* 38: 135–136.
- Ham, P. J. & Garms, R. (1988) The relationship between innate susceptibility to *Onchocerca*, and haemolymph attenuation of microfilarial motility *in vitro* using British and west African blackflies. *Tropical Medicine and Parasitology* 39: 230–234.
- Garms, R., Kerner, M. & Meredith, S. E. O. (1988) *Simulium (Edwardsellum) rasyani* n.sp., the Yemen species of the *Simulium damnosum* complex. *Tropical Medicine and Parasitology* 39: 239–244.
- Cheke, R. A. & Garms, R. (1988) Trials of compounds to enhance trap catches of *Glossina palpalis palpalis* in Liberia. *Medical and Veterinary Entomology* 2: 199–200.
- Putfarken, B., Albrecht S., Garms, R., Zahner, H. & Walter, R. D. (1989) Filaricidal effects of arylaminoalcohols *in vitro* and *in vivo*. *Tropical Medicine and Parasitology* 40: 389.

- Garms, R., Cheke, R. A., Fiasorgbor, G. K. & Walsh, J. F. (1989) Seasonal extension of the breeding range of *Simulium sanctipauli* from forest into savanna in eastern Ghana and Togo. Zeitschrift für Angewandte Zoologie 76: 457–467.
- Steinke, B., & Garms, R. (1990). Parasites from adult *Simulium sanctipauli* sl and *S. yahense* in Liberia. Zeitschrift für Angewandte Zoologie 77: 159–175.
- Garms, R., Cheke, R. A. & Sachs, R. (1990) Discussion (on savanna species of the *Simulium damnosum* complex in the forest zone of Liberia). Philosophical Transactions of the Royal Society B 328: 747–748.
- Garms, R., Cheke, R. A. & Sachs, R. (1991) Ansiedlung von Savannenarten des *Simulium damnosum*-Komplexes im Regenwaldgebiet Liberias. Abstract. Proceedings of the International Meeting of the Entomology Societies of Germany (DGaaE), Switzerland (SEG) and Austria (ÖEG). Vienna, Austria 2–6 April 1991.
- Garms, R., Cheke, R. A. & Sachs, R. (1991) A temporary focus of savanna species of the *Simulium damnosum* complex in the forest zone of Liberia. Tropical Medicine and Parasitology 42: 181–187.
- Güzelhan, C. & Garms, R. (1991) Cytogenetic comparison of *Simulium soubrense* populations in Liberia (Simuliidae, Diptera). Zeitschrift für Zoologie 78: 179–187.
- Cheke, R. A. & Garms, R. (1991) Odour baits for *Glossina palpalis palpalis*. Tsetse and Trypanosomiasis Information Quarterly 14: 105–106.
- Cheke, R. A., Sowah, S. A., Avissey, H. S. K., Fiasorgbor, G. K. & Garms, R. (1992) Seasonal variation in onchocerciasis transmission by *Simulium squamosum* at perennial breeding sites in Togo. Transactions of the Royal Society of Tropical Medicine and Hygiene 86: 67–71.
- Cheke, R. A., Avissey, H. S. K., Sowah, S. A., Walsh, J. F. & Garms, R. (1992) The vectorial efficiency of *Simulium yahense* populations in south-eastern Ghana. Tropical Medicine and Parasitology 43: 62–64.
- Millett, A. L., Cheke, R. A., Howe, M. A., Lehane, M. J. & Garms, R. (1992) Determining the ages of adult females of the *Simulium damnosum* complex (Diptera: Simuliidae) by the pteridine accumulation method. Bulletin of Entomological Research 82: 219–226.
- Garms, R., Yocha, J. & Kipp, W. (1994) Infections in *Simulium neavei* before and during a mass campaign using Ivermectin in Uganda. Abstract. 15<sup>th</sup>. Annual Meeting (23 September 1992) of the British Simuliid Group. Bulletin of the British Simuliid Group 3: 4.
- Garms, R., Katamanywa, J., Yocha, J. & Rubaale, T. (1996) Effect of vector control and community based distribution of ivermectin on the transmission of *Onchocerca volvulus* by *Simulium neavei* in western Uganda. Abstract. 19<sup>th</sup>. Annual Meeting (17 September 1996) of the British Simuliid Group. Bulletin of the British Simuliid Group 8: 3–5.
- Walsh, J. F., Garms, R. & Lakwo T. (1996) Planning of focal vector eradication in onchocerciasis foci in Uganda. Unpublished report to UNDP/World Bank/WHO (TDR) id 960012. WHO, Geneva.
- Krüger, A., Garms, R. & Wamani, J. (1996) Zur Wirtswahl von Simuliiden in Westuganda. Entomologische Mitteilungen des Zoologischen Museums Hamburg 12: 63–70.
- Fischer, P., Garms, R., Büttner, D. W., Kipp, W., Bamuhiga, J. & Yosha, J. (1997) Reduced prevalence of onchocerciasis in Uganda following either deforestation or vector control with DDT. East African Medical Journal 74: 321–325.
- Fischer, P., Yosha, J., Rubaale, T. & Garms, R. (1997) PCR and DNA hybridization indicate the absence of animal filariae from vectors of *Onchocerca volvulus* in Uganda. Journal of Parasitology 83: 1030–1034.
- Krüger, A., Gelhaus, A., Yocha, J., Rubaale, T. & Garms, R. (1998) Recent studies of the *Simulium damnosum* complex in western Uganda. Abstract. 20<sup>th</sup>. Annual Meeting (25 November 1997) of the British Simuliid Group. Bulletin of the British Simuliid Group 10: 7–10.
- Krüger, A., Nurmi, V., Garms, R. (1998) A new species of the *Simulium damnosum* complex from Uganda with a morphological study of the tarsal claws in females of this complex. Medical & Veterinary Entomology 12: 246–254.
- Krüger, A., Nurmi, V., Yocha, Y., Kipp, W., Rubaale, T. & Garms, R. (1999) The *Simulium damnosum* complex in western Uganda and its role as a vector of *Onchocerca volvulus*. Tropical Medicine & International Health 4: 819–826.
- Kuhlow, F. & Garms, R. (1999) Untersuchungen über lebensweise und Fortpflanzung verschiedener Stämme von *Culex pipiens fatigans* im Laboratorium. In Proceedings of the First International Congress of Parasitology (pp. 911–912). Pergamon.
- Krüger, A., Gelhaus, A. & Garms, R. (2000) Molecular identification and phylogeny of East African *Simulium damnosum* sl and their relationship with West African species of the complex (Diptera: Simuliidae). Insect Molecular Biology 9: 101–108.
- Krüger, A. & Garms, R. (1999) Verification of the synonymy of *Simulium damnosum* cytoform 'Nyamagasani' with *Simulium kilianum* Gouteux (Diptera: Simuliidae) together with descriptive data on related forms. Bulletin of Entomological Research 89: 533–541.
- Krüger, A. & Garms, R. (1999) Morphometric characterization of members of the *Simulium damnosum* Theobald complex (Diptera: Simuliidae) from East and West Africa. Annals of Tropical Medicine & Parasitology 93: 753–761.
- Mpagi, J., Katamanywa, J. & Garms, R. (2000). Dispersal range of *Simulium neavei* in an onchocerciasis focus of western Uganda. Medical & Veterinary Entomology 14: 95–99. doi: 10.1046/j.1365-2915.2000.00221.x.
- Garms, R. & Kipp, W. (2001) October. Monday, October 22, 2001–12: 54 PM Abstract# 23527 Onchocerciasis control in a highly endemic onchocerciasis focus in Kabarole District, Uganda. In The 129th Annual Meeting of APHA.

- Corace, R. G., Cumberlidge, N. & Gärms, R. (2001). A new species of freshwater crab from Rukwanzi, East Africa. *Proceedings of the Biological Society of Washington* 114: 178–187.
- Afrane, Y. A., Klinkenberg, E., Drechsel, P., Owusu-Daaku, K., Gärms, R., & Kruppa, T. (2004). Does irrigated urban agriculture influence the transmission of malaria in the city of Kumasi, Ghana? *Acta Tropica*, 89: 125–134.
- Kutin K, Kruppa TF, Brenya R, Gärms R. (2004). Efficiency of *Simulium sanctipauli* as a vector of *Onchocerca volvulus* in the forest zone of Ghana. *Medical & Veterinary Entomology* 18: 167–17.
- Ndyomugenyi, R., Tukesiga, E., Büttner, D. W. & Gärms, R. (2004). The impact of ivermectin treatment alone and when in parallel with *Simulium neavei* elimination on onchocerciasis in Uganda. *Tropical Medicine & International Health* 9: 882–886.
- Gärms R, Lakwo TL, Ndyomugenyi R et al. (2009) The elimination of the vector *Simulium neavei* from the Itwara onchocerciasis focus in Uganda by ground larviciding. *Acta Tropica* 111: 203–210.
- Katabarwa, M. N., Lakwo, T., Habomugisha, P., Wamani, J., Agunyo, S., Oogutu, D., Byamugisha, E., Byamugishe, E., Gärms, R., Rubaale, T. & Ndyomugenyi, R. (2010) Has interruption of *Simulium neavei* ss transmitted onchocerciasis been attained in the Kashoya-Kitomi focus? *American Journal of Tropical Medicine & Hygiene* 83: 21.
- Maia, M., Clausen, P. H., Mehltz, D., Gärms, R. & Bauer, B. (2010). Protection of confined cattle against biting and nuisance flies (Muscidae: Diptera) with insecticide-treated nets in the Ghanaian forest zone at Kumasi. *Parasitology Research* 106: 1307–1313.
- Abonuusum, A., Owusu-Daako, K., Tannich, E., May, J., Gärms, R. & Kruppa, T. (2011). Malaria transmission in two rural communities in the forest zone of Ghana. *Parasitology Research* 108: 1465–1471.
- Maia, M. F., Abonuusum, A., Lorenz, L. M., Clausen, P. H., Bauer, B., Gärms, R. & Kruppa, T. (2012). The effect of deltamethrin-treated net fencing around cattle enclosures on outdoor-biting mosquitoes in Kumasi, Ghana. *PLoS One* 7:e45794
- Badu, K., Brenya, R. C., Timmann, C., Gärms, R. & Kruppa, T. F. (2013) Malaria transmission intensity and dynamics of clinical malaria incidence in a mountainous forest region of Ghana. *Malaria World Journal* 4: 1–9.
- Cheke, R. A. & Gärms, R. (2013) Indices of onchocerciasis transmission by different members of the *Simulium damnosum* complex conflict with the paradigm of forest and savanna parasite strains. *Acta Tropica* 125: 42–53.
- Lakwo TL, Gärms R, Rubaale T, Katabarwa, M., Walsh, F., Habomugisha, P., Oogutu, D., Unnasch, T., Namanya, H., Tukesiga, E. & Katamanywa, J. (2013) The disappearance of onchocerciasis from the Itwara focus, western Uganda after elimination of the vector *Simulium neavei* and 19 years of annual ivermectin treatments. *Acta Tropica* 126: 218–221.
- Krüger, A., Börstler, J., Badusche, M., Lühken, R., Gärms, R. & Tannich, E. (2014). Mosquitoes (Diptera: Culicidae) of metropolitan Hamburg, Germany. *Parasitology Research* 113: 2907–2914.
- Börstler, J., Lühken, R., Rudolf, M., Steinke, S., Melaun, C., Becker, S., Gärms, R. and Krüger, A., (2014). The use of morphometric wing characters to discriminate female *Culex pipiens* and *Culex torrentium*. *Journal of Vector Ecology* 39: 204–212.
- Lühken, R., Pfitzner, W. P., Börstler, J., Gärms, R., Huber, K., Schork, N., Steinke, S., Kiel, E., Becker, N., Tannich, E. & Krüger, A. (2014) Field evaluation of four widely used mosquito traps in Central Europe. *Parasites & Vectors* 7: 1–11.
- Naucke, T. J., Gärms, R. & Lozán, J. L. (2014) Die Leishmaniose – eine potenzielle Gefahr in Mitteleuropa. *Warnsignal Klima: Gefahren für Pflanzen, Tiere & Menschen*, 2.
- Gärms, R. (2014) Tropenmedizinisch relevante Insekten. Pp. 1–8 in Lozán, J. L., Grassl, H., Karbe, L. & G. Jendritzky (Hrsg.). *Warnsignal Klima: Gefahren für Pflanzen, Tiere und Menschen*. 2. Auflage. Elektronische Veröffentlichung (Kap. 3.2.5) – www.warnsignale.uni-hamburg.de.
- Cheke, R. A., Basáñez, M.-G., Perry, M., White, M. T., Gärms, R., Obuobie, E., Lamberton, P. H. L., Young, S., Osei-Atweneboana, M. Y., Intsiful, J., Boakye, D. A. & Wilson, M. D. (2014) Onchocerciasis transmission and climate change in West Africa. Abstract. p. 20 in S. Ciadamidaro & B. Maiolin (eds.) Proc. 6<sup>th</sup>. International Simuliidae Symposium, Turin, Italy, 16–19 Sept 2014.
- Cheke, R. A., Basáñez, M.-G., Perry, M., White, M. T., Gärms, R., Obuobie, E., Lamberton, P. H. L., Young, S., Osei-Atweneboana, M. Y., Intsiful, J., Shen, M., Boakye, D. A. & Wilson, M. D. (2015) Potential effects of warmer worms and vectors on onchocerciasis transmission in West Africa. *Philosophical Transactions of the Royal Society B*, 370: 20130559. Electronic supplementary material available at <http://dx.doi.org/10.1098/rstb.2014.0559>; <http://rstb.royalsocietypublishing.org>
- Lakwo TL, Gärms R, Tukahebwa, E., Onapa, A. W., Tukesiga, E., Ngorok, J., Katamanywa, J., Twebaze, C., Habomugisha, P., Oogutu, D., Byamukama, E., Katabarwa, M., Richards, F. & Unnasch, T. (2015) Successful interruption of the transmission of *Onchocerca volvulus* in Mpamba-Nkusi focus, Kibaale district, mid-western Uganda. *East African Medical Journal* 92: 401–407.
- Gärms, R., Badu, K., Owusu-Dabo, E., Baffour-Awuah, S., Adjei, O., Debrah, A. Y. & Kruppa, T. F. (2015) Assessments of the transmission of *Onchocerca volvulus* by *Simulium sanctipauli* in the Upper Denkyira District, Ghana, and the intermittent disappearance of the vector. *Parasitology Research* 114: 1129–1137.
- Annan, A. A., Kruppa, T. F., Adjei, O. & Gärms, R. (2015) Palp ratio as a field identification tool for two members of the *Anopheles gambiae* complex in Ghana (*A. melas* and *A. gambiae*). *Parasites & Vectors* 8: 1–4.
- Börstler, J., Jöst, H., Gärms, R., Krüger, A., Tannich, E., Becker, N., Schmidt-Chanasit, J. & Lühken, R. (2016). Host-feeding patterns of mosquito species in Germany. *Parasites & Vectors* 9: 1–14.
- Katabarwa, M. N., Katamanywa, J., Lakwo, T., Habomugisha, P., Byamukama, E., Oogutu, D., Nahabwe, C., Ngabirano, M., Tukesiga, E., Khainza, A., Tukahebwa, E., Unnasch, T. R., Richards, F. O. & Gärms, R. (2016). The Imara-

- magambo onchocerciasis focus in southwestern Uganda: interruption of transmission after disappearance of the vector *Simulium neavei* and its associated freshwater crabs. *The American Journal of Tropical Medicine and Hygiene* 95: 417–425.
- Cheke, R. A., Young, S. & Girms, R. (2016) Inverse density dependence of parity rates in the onchocerciasis vector *Simulium damnosum* s.l. *Medical & Veterinary Entomology* 30: 85–88.
- Cheke, R. A., Young, S. & Girms, R. (2016) Ecological characteristics of *Simulium* breeding sites in West Africa. Abstract. Page 20 in I. Ruiz-Arondo & I. de Blas Giral (eds.) Proc. 7<sup>th</sup>. International Simuliidae Symposium, Zaragoza, Spain, 5–8 Sept 2016.
- Cheke, R. A., Young, S. & Girms, R. (2017) Ecological characteristics of *Simulium* breeding sites in West Africa. *Acta Tropica* 167: 148–156.
- Shahhosseini, N., Lühken, R., Jöst, H., Jansen, S., Börstler, J., Rieger, T., Krüger, A., Yadouleton, A., de Mendonça Campos, R., Cirne-Santos, C. C., Ferreira, D. F., Girms, R., Becker, N., Tannich, E., Cadar, D. & Schmidt-Chanasit, J. (2017) Detection and characterization of a novel rhabdovirus in *Aedes cantans* mosquitoes and evidence for a mosquito-associated new genus in the family Rhabdoviridae. *Infection, Genetics & Evolution* 55: 260–268.
- Lakwo, T., Girms, R., Wamani, J., Tukahebwa, E. M., Byamukama, E., Onapa, A. W., Tukesiga, E., Katamanywa, J., Begumisa, S., Habomugisha, P. & Oguttu, D. (2017) Interruption of the transmission of *Onchocerca volvulus* in the Kashoya-Kitomi focus, western Uganda by long-term ivermectin treatment and elimination of the vector *Simulium neavei* by larviciding. *Acta tropica* 167: 128–136.
- Katabarwa, M. N., Lakwo, T., Habomugisha, P., Unnasch, T. R., Girms, R., Hudson-Davis, L., Byamukama, E., Khainza, A., Ngorok, J., Tukahebwa, E. & Richards, F. O. (2018) After 70 years of fighting an age-old scourge, onchocerciasis in Uganda, the end is in sight. *International Health* 10 (suppl\_1): i79–i88.
- Agyemang, A. N. O., Badu, K., Baffour-Awuah, S., Owusu-Dabo, E., Biritwum, N. K., Girms, R. & Kruppa, T. F. (2018) Evaluation of onchocerciasis control in the Upper Denkyira East municipal in the forest area of Ghana: Responses of participants and distributors to the CDTI programme. *Acta Tropica* 185: 357–362.
- Brattig, N., Cheke, R. A. & Girms, R. (2021) Onchocerciasis (River Blindness) – more than a century of research and control. *Acta Tropica* 218, 105677.
- Abunuusum, A., Owusu-Daaku, K., Benjamin, A., Bauer, B., Girms, R. & Kruppa, T. (2021) An evaluation and assessment of the effects of insecticide-treated livestock protective fences (LPF) for protecting humans from anthropophilic mosquitoes and malaria transmission in a suburb of Kumasi in the forest zone of Ghana. *Challenges in Disease and Health Research* 6: 43–51.